

Serial No.: 09/475,830

Attorney Docket No.: 11710-0111

Page 2

AMENDMENT

In the Claims:

Please amend the Claims as follows:

Sub D1
1. (Amended) An absorbent structure comprising about 30 to about 90 weight percent, based on the total weight of the composite, superabsorbent material and from about 70 to about 10 weight percent fibers, wherein the superabsorbent material has a Gel Bed Permeability (GBP) value of greater than about $70 \times 10^{-9} \text{ cm}^2$ and an Absorbency Under Load (AUL) value at 0.6 psi of less than about 25 g/g.

Sub D1
cent.
32. (Amended) A disposable garment comprising at least one absorbent structure, wherein the at least one absorbent structure comprises about 30 to about 90 weight percent, based on the total weight of the composite, superabsorbent material and from about 70 to about 10 weight percent fibers, and wherein the superabsorbent material has a Gel Bed Permeability (GBP) value of greater than about $70 \times 10^{-9} \text{ cm}^2$ and an Absorbency Under Load (AUL) value at 0.6 psi of less than about 25 g/g.

REMARKS

Claims 1-15, 19-23, and 31-32 are pending in the present application. By this Amendment, Claims 1 and 32 are amended. Applicants respectfully request reconsideration of the present claims in view of the following remarks. Support for